

T estpassport Q&A



Bessere Qualität , bessere Dienstleistungen!

We offer free update service for one year
[Http://www.testpassport.ch](http://www.testpassport.ch)

Exam : **C1000-143**

Title : IBM Cloud Pak for Watson
AIOps v3.2 Administrator

Version : DEMO

1.Which statement is true about a topology merge rule?

- A. Specifies that the value of a resource field should be copied to the matchTokens field so that it can be used to merge events to resources
- B. Merges two or more events together and relate them to the same topology resource
- C. Specifies that the value of a resource field should be copied to the tags field so that it becomes searchable in the UI
- D. Specifies that two resources from different topology Observer jobs in fact refer to the same physical device

Answer: C

2.Which statement is true about Event Manager (NOI) in an on-premises installation?

- A. Event Manager Components can only be started by using the Installation Manager.
- B. Start-up scripts can be created to automatically start the various Event Manager components.
- C. Startup GUI can be installed to automatic start the various components.
- D. Event Manager components can only be started ally by using Linux or Windows commands.

Answer: A

3.What is the default duration of the CA certificate used by IBM foundational services?

- A. 120 days
- B. Two years
- C. 90 days
- D. One year

Answer: B

4.Which statement is true about topology management in Cloud Pak for Watson AIOps?

- A. It has an ETSI interface (European Telecommunications Standards Institute)
- B. It enables the real-time and historical visualization of highly dynamic and distributed infrastructure
- C. It provides a holistic view into geographic data
- D. It provides Root Cause Analysis (RCA)

Answer: B

5.What does the Resource filter toolbar in Topology Manager reduce?

- A. Entity types in the Topology view
- B. Observer loads
- C. Resources exported from the Topology Manager
- D. Resources that an instance of Topology Manager holds

Answer: A