TestpassportQ&A

Bessere Qualität , bessere Dienstleistungen!

Exam : **C9560-519**

Title : IBM Tivoli Netcool/OMNIbus
V8.1 Implementation

Version : DEMO

1.A company has 1,000 Cisco switches in their environment that send approximately 5,000 traps each to the Netcool system in a 24 hour period. In addition to this, they have 5,000 servers and workstations; each sending approximately 100 syslog messages to IBM Tivoli Netcool/OMNIbus in the same time period. Based on the scenario above, what is the calculated event rate per 24 hours?

A. 5,500,000 events

B. 2t500,000 events

C. 1,000,000 events

D. 6,000,000 events

Answer: D

2.What are two configurations allowed in the Console Preferences Profile?

A. Refresh rates of the pages included

B. Pages included in the profile

C. Maximum events shown in the Event List

D. Roles with access to the profile

E. Console view options

Answer: B,D

3.What are three supported databases for the JDBC gateway?

A. PostgreSQL

B. DB2

C. Derby

D. Oracle

E. ISQLLite

F. Microsoft SQL Server

Answer: B,D,F

Explanation:

https://www.ibm.com/support/knowledgecenter/SSSHTQ/omnibus/gateways/jdbcgw/wip/reference/jdbcgw_db_support.html

4.A new employee has the task of assigning roles to the groups who will be using the Web GUI.

Which role does the employee need to operate his duties?

A. configurator

B. operator

C. ncw__admin

D. iscadmins

Answer: D

5.What are two roles required to view and edit Gauges pages?

A. ncw_dashboard_editor

B. ncw_gauges_viewer

C. netcool_rw

D. ncw_editor

E. new user

Answer: B,D

Answer: B,D