TestpassportQ&A

Bessere Qualität , bessere Dienstleistungen!

Exam : **C_PO_7517**

Title : SAP Certified Technology Associate - SAP Process Orchestration

Version : DEMO

1.You need to assign an XSLT Mapping program in your Operation Mapping.

Which activities must you perform first? Note: There are 2 correct answers to this question.

A. Import the XSLT archive into a message mapping.

B. Unzip the XSLT archive before assigning into the imported archive.

C. Import the XSLT archive into the imported archive.

D. Create an imported archive.

Answer: C,D

2.What is process context? Choose the correct answer.

A. It provides additional information to the process model.

B. It attaches notes to elements in a process model.

C. It defines the sequence of the process flow.

D. It stores data from events and activities.

Answer: D

3.How can you maintain runtime values for standard function Value Mapping? Note: There are 2 correct answers to this question.

A. Remotely from any external system, using OData service interfaces defined in SAP BASIS component.

B. Locally within PI, maintaining the values in Mapping Runtime Cache Monitor inside SAP NetWeaver Administrator.

C. Locally within PI, maintaining the values in Integration Directory.

D. Remotely from any external system, using service interfaces defined in SAP BASIS component.

Answer: C,D

4.SAP NWDS (Eclipse) uses different perspectives.

What are valid characteristics of the Process Development and the Process Modeling perspective?

Note: There are 2 correct answers to this question.

A. The Process Development perspective offers a full set of capabilities for designing, implementing, and deploying a process.

B. The Process Modeling perspective offers a full set of capabilities for designing, implementing, and deploying a process.

C. The Process Development perspective is a subset of the Process Modeling perspective.

D. The Process Modeling perspective is a subset of the Process Development perspective.

Answer: A,D

5.The Message Type describes the structure of a message that SAP Process Integration sends or receives, and it determines the root element of 1.

Which kind of structure can you use inside the Message Type?

A. Single Complex Data Type

B. Single Simple Data Type

C. Multiple Complex Data Type

D. Multiple Simple Data Type

Answer: A