TestpassportQ&A

Bessere Qualität , bessere Dienstleistungen!

1 / 4

Exam   :   **NSE6_FML-6.4**

Title   :   Fortinet NSE 6 -FortiMail
                  6.4

Version : DEMO

1.Which FortiMail option removes embedded code components in Microsoft Word, while maintaining the original file format?
A. Behavior analysis
B. Impersonation analysis
C. Content disarm and reconstruction
D. Header analysis
Answer: C
Explanation:
Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8c063dd3-bafe-11e9-a989-00505692583a/fortimail-admin-620.pdf (435)

2.A FortiMail administrator is concerned about cyber criminals attempting to get sensitive information from employees using whaling phishing attacks.
What option can the administrator configure to prevent these types of attacks?
A. Impersonation analysis
B. Bounce tag verification
C. Content disarm and reconstruction
D. Dictionary profile with predefined smart identifiers
Answer: A

3.Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal, and there are no unnecessary failovers?
A. Break the cluster, upgrade the units independently, and then form the cluster
B. Upgrade both units at the same time
C. Upgrade the standby unit, and then upgrade the active unit
D. Upgrade the active unit, which will upgrade the standby unit automatically
Answer: B
Explanation:
Reference: https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/725928/upgrading-firmware-on-ha-units

4.Refer to the exhibit.

Session Profile

Profile name: | Example_Session

⊟ **SMTP Limits**

Restrict number of EHLO/HELOs per session to:	3
Restrict number of email per session to:	10
Restrict number of recipients per email to:	500
Cap message size (KB) at:	51200
Cap header size (KB) at:	10240
Maximum number of NOOPs allowed for each connection:	10
Maximum number of RSETs allowed for each connection:	20

FortiMail

Domain name: | example.com

Relay type: | Host ▼

SMTP server: | 10.29.1.45 | Port 25 [Test..]
◯ Use SMTPS

Fallback SMTP server: | | Port 25 [Test..]
◯ Use SMTPS

➕ ◯ Relay Authentication

Other

Webmail theme: | Use system settings▼
Webmail language: | --Default-- ▼
Maximum message size(KB): | 204800

SMTP greeting (EHLO/HELO) name (as client) Use system host name▼

IP pool: --None-- ▼ Direction: Delivering ▼

◯ Remove received header of outgoig email
🟢 Use global bayesian database
◯ Bypass bounce verification

Which message size limit will FortiMail apply to the outbound email?

A. 204800
B. 1024
C. 51200
D. 10240

Answer: A

5.A FortiMail is configured with the protected domain example.com.
On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org

B. MAIL FROM: support@example.com RCPT TO: marketing@example.com

C. MAIL FROM: training@external.org RCPT TO: students@external.org

D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Answer: C,D

Explanation:

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf (30)