

T estpassport Q&A



Bessere Qualität , bessere Dienstleistungen!

We offer free update service for one year
[Http://www.testpassport.ch](http://www.testpassport.ch)

Exam : **ACSCE-5X**

Title : **Alfresco Content Services
Certified Engineer**

Version : **DEMO**

1.How should Smart Folders be identified and recognized?

- A. Smart Folders should be recognized by their type smf:smartFolder
- B. Smart Folders should be recognized by parent-child type used smf:contains
- C. Smart Folders should be recognized by their aspect smf:smartFolder
- D. Smart Folders should be recognized by the special node reference used.
- E. Smart Folders cannot be recognized as they are not different from any other cm:folder.

Answer: D

Explanation:

References: <https://docs.alfresco.com/6.0/references/sf-tech-faqs.html>

2.If an object is moved to a different folder, what will happen to the node's security permissions?

- A. It will inherit the ACL from the new parent folder.
- B. It will inherit the ACL from the user who is moving it.
- C. It will inherit the system wide ACL.
- D. It will keep its old ACL.

Answer: A

3.Which of the following is not an Alfresco-supplied subsystem category?

- A. Dictionary.
- B. Authentication.
- C. Audit.
- D. Search.

Answer: A

Explanation:

References: <https://docs.alfresco.com/community5.0/concepts/subsystem-categories.html>

4.When testing an Alfresco Content Services extension under high levels of concurrency, you notice that some transactions are failing due to locking issues with the database.

What is an appropriate way to resolve this?

- A. Manually unlock the offending records and start the testing again.
- B. Directly use Alfresco's database connection pool and write your own SQL.
- C. Use the RetryingTransactionHelper to retry code that fails due to locking.
- D. Rewrite the queries used by your application to reduce the chance of the lock.

Answer: A

5.What does it mean when it is said in Solr indexing that the index is "eventually consistent"?

- A. The index will only be consistent after a server restart.
- B. The index will become consistent when there are no more transactions to index.
- C. The index becomes consistent once a day when the index job runs.
- D. The index can only be consistent when the Lucene index job eventually runs.

Answer: B